


2 Flutes Eco Cut Standard Length End Mills For Multi Purpose



2EPE

- Endmills for various work materials (HRC~50)
Carbon steels, Mould steels, Pre-hardened steels
- Optimum for various work materials by E coating.
- High-Precise edge tolerance.
- Short overall length for easy use with shrinking chuck.
- Minimize fracturing by high TRS fine(0.5µm) WC grade.



Unit(mm)

Model Number	Cutting Dia. D	Length Of Cut L1	Effective Length L2	Overall Length L	Shank dia d
2EPE 005 010 445	0.5	1	-	45	4
2EPE 006 012 445	0.6	1.2	-	45	4
2EPE 007 014 445	0.7	1.4	-	45	4
2EPE 008 016 445	0.8	1.6	-	45	4
2EPE 009 020 445	0.9	2	-	45	4
2EPE 010 010 445	1	1	-	45	4
2EPE 010 025 445	1	2.5	-	45	4
2EPE 010 025 650	1	2.5	-	50	6
2EPE 010 025 660	1	2.5	-	60	6
2EPE 010 040 650	1	4	-	50	6
2EPE 011 027 445	1.1	2.7	-	45	4
2EPE 012 012 445	1.2	1.2	-	45	4
2EPE 012 030 445	1.2	3	-	45	4
2EPE 012 030 650	1.2	3	-	50	6
2EPE 012 030 660	1.2	3	-	60	6
2EPE 012 060 650	1.2	6	-	50	6
2EPE 013 032 445	1.3	3.2	-	45	4
2EPE 014 035 445	1.4	3.5	-	45	4
2EPE 015 015 445	1.5	1.5	-	45	4
2EPE 015 040 445	1.5	4	-	45	4
2EPE 015 040 650	1.5	4	-	50	6
2EPE 015 040 660	1.5	4	-	60	6
2EPE 016 040 445	1.6	4	-	45	4
2EPE 017 042 445	1.7	4.2	-	45	4
2EPE 018 045 445	1.8	4.5	-	45	4
2EPE 019 050 445	1.9	5	-	45	4

2 Flutes Eco Cut Standard Length End Mills For Multi Purpose



Unit(mm)					
Model Number	Cutting Dia. D	Length Of Cut L1	Effective Length L2	Overall Length L	Shank dia d
2EPE 020 020 445	2	2	-	45	4
2EPE 020 060 445	2	6	-	45	4
2EPE 020 060 650	2	6	-	50	6
2EPE 020 060 660	2	6	-	60	6
2EPE 021 060 445	2.1	6	-	45	4
2EPE 022 060 445	2.2	6	-	45	4
2EPE 023 060 445	2.3	6	-	45	4
2EPE 024 080 445	2.4	8	-	45	4
2EPE 025 080 445	2.5	8	-	45	4
2EPE 025 080 650	2.5	8	-	50	6
2EPE 025 080 660	2.5	8	-	60	6
2EPE 026 080 445	2.6	8	-	45	4
2EPE 027 080 445	2.7	8	-	45	4
2EPE 028 080 445	2.8	8	-	45	4
2EPE 029 080 445	2.9	8	-	45	4
2EPE 030 030 445	3	3	-	45	4
2EPE 030 080 445	3	8	-	45	4
2EPE 030 080 650	3	8	-	50	6
2EPE 030 080 660	3	8	-	60	6
2EPE 035 100 650	3.5	10	-	50	6
2EPE 040 040 445	4	4	-	45	4
2EPE 040 100 445	4	10	-	45	4
2EPE 040 110 650	4	11	-	50	6
2EPE 040 110 660	4	11	-	60	6
2EPE 045 110 650	4.5	11	-	50	6
2EPE 050 130 650	5	13	-	50	6
2EPE 050 130 675	5	13	-	75	6
2EPE 055 130 650	5.5	13	-	50	6
2EPE 060 060 650	6	6	-	50	6
2EPE 060 130 650	6	13	-	50	6
2EPE 060 130 675	6	13	-	75	6
2EPE 060 150 660	6	15	-	60	6
2EPE 065 160 860	6.5	16	-	60	8
2EPE 070 160 860	7	16	-	60	8
2EPE 075 160 860	7.5	16	-	60	8
2EPE 080 080 850	8	8	-	50	8
2EPE 080 190 860	8	19	-	60	8

ECO-CUT

WIDE-CUT

HARD-CUT

ALU-CUT

D-CUT

SUS CUT

MAGIC DRILLS

2 Flutes Eco Cut Standard Length End Mills For Multi Purpose



Unit(mm)

Model Number	Cutting Dia. D	Length Of Cut L1	Effective Length L2	Overall Length L	Shank dia d
2EPE 080 200 860	8	20	-	60	8
2EPE 085 190 A60	8.5	19	-	60	10
2EPE 090 190 A60	9	19	-	60	10
2EPE 095 190 A60	9.5	19	-	60	10
2EPE 100 100 A60	10	10	-	60	10
2EPE 100 220 A75	10	22	-	75	10
2EPE 100 250 A75	10	25	-	75	10
2EPE 105 220 C75	10.5	22	-	75	12
2EPE 110 220 C75	11	22	-	75	12
2EPE 115 220 C75	11.5	22	-	75	12
2EPE 120 120 C60	12	12	-	60	12
2EPE 120 260 C75	12	26	-	75	12
2EPE 120 300 C75	12	30	-	75	12
2EPE 140 260 E75	14	26	-	75	14
2EPE 140 260 GA0	14	26	-	100	16
2EPE 160 350 GA0	16	35	-	100	16
2EPE 160 400 GA0	16	40	-	100	16
2EPE 180 350 IA0	18	35	-	100	18
2EPE 200 400 KA0	20	40	-	100	20
2EPE 200 500 KA0	20	50	-	100	20