


4 Flutes Eco Cut Rib End Mills For Multi Purpose



4ERE

- Endmills for various work materials (HRC~50)
Carbon steels, Mould steels, Pre-hardened steels.
- Optimum for various work materials by E coating.
- High-Precise edge tolerance.
- Good surface finish.
- Minimize fracturing by high TRS fine(0.5µm) WC grade.



Unit(mm)

Model Number	Cutting Dia. D	Length Of Cut L1	Effective Length L2	Overall Length L	Shank dia d
4ERE 008 020 445	0.8	0.9	2	45	4
4ERE 008 040 445	0.8	0.9	4	45	4
4ERE 008 060 445	0.8	0.9	6	45	4
4ERE 008 080 445	0.8	0.9	8	45	4
4ERE 008 100 445	0.8	0.9	10	45	4
4ERE 008 120 445	0.8	0.9	12	45	4
4ERE 008 160 450	0.8	0.9	16	50	4
4ERE 009 020 445	0.9	1	2	45	4
4ERE 009 060 445	0.9	1	6	45	4
4ERE 009 080 445	0.9	1	8	45	4
4ERE 009 100 445	0.9	1	10	45	4
4ERE 010 030 445	1	1.2	3	45	4
4ERE 010 040 445	1	1.2	4	45	4
4ERE 010 060 445	1	1.2	6	45	4
4ERE 010 080 445	1	1.2	8	45	4
4ERE 010 100 450	1	1.2	10	50	4
4ERE 010 120 450	1	1.2	12	50	4
4ERE 010 160 450	1	1.2	16	50	4
4ERE 010 200 450	1	1.2	20	50	4
4ERE 010 250 460	1	1.2	25	60	4
4ERE 012 060 445	1.2	1.4	6	45	4
4ERE 012 080 445	1.2	1.4	8	45	4
4ERE 012 100 450	1.2	1.4	10	50	4
4ERE 012 120 450	1.2	1.4	12	50	4
4ERE 012 160 450	1.2	1.4	16	50	4
4ERE 015 060 445	1.5	1.8	6	45	4

4 Flutes Eco Cut Rib End Mills For Multi purpose



Unit(mm)

Model Number	Cutting Dia. D	Length Of Cut L1	Effective Length L2	Overall Length L	Shank dia d
4ERE 015 080 445	1.5	1.8	8	45	4
4ERE 015 100 450	1.5	1.8	10	50	4
4ERE 015 120 450	1.5	1.8	12	50	4
4ERE 015 160 450	1.5	1.8	16	50	4
4ERE 015 200 450	1.5	1.8	20	50	4
4ERE 015 250 460	1.5	1.8	25	60	4
4ERE 020 060 445	2	2.4	6	45	4
4ERE 020 080 445	2	2.4	8	45	4
4ERE 020 100 450	2	2.4	10	50	4
4ERE 020 120 450	2	2.4	12	50	4
4ERE 020 160 450	2	2.4	16	50	4
4ERE 020 200 450	2	2.4	20	50	4
4ERE 020 250 460	2	2.4	25	60	4
4ERE 020 300 475	2	2.4	30	75	4
4ERE 025 100 450	2.5	3	10	50	4
4ERE 025 120 450	2.5	3	12	50	4
4ERE 025 160 450	2.5	3	16	50	4
4ERE 025 200 450	2.5	3	20	50	4
4ERE 025 250 460	2.5	3	25	60	4
4ERE 025 300 475	2.5	3	30	75	4
4ERE 030 100 650	3	3.6	10	50	6
4ERE 030 120 650	3	3.6	12	50	6
4ERE 030 160 660	3	3.6	16	60	6
4ERE 030 200 660	3	3.6	20	60	6
4ERE 030 250 660	3	3.6	25	60	6
4ERE 030 300 675	3	3.6	30	75	6
4ERE 030 350 675	3	3.6	35	75	6
4ERE 030 400 675	3	3.6	40	75	6
4ERE 040 100 650	4	4.8	10	50	6
4ERE 040 120 650	4	4.8	12	50	6
4ERE 040 160 650	4	4.8	16	50	6
4ERE 040 200 660	4	4.8	20	60	6
4ERE 040 250 660	4	4.8	25	60	6
4ERE 040 300 675	4	4.8	30	75	6
4ERE 040 400 675	4	4.8	40	75	6
4ERE 040 450 6A0	4	4.8	45	100	6
4ERE 040 500 6A0	4	4.8	50	100	6

4 Flutes Eco Cut Rib End Mills For Multi purpose



Unit(mm)

Model Number	Cutting Dia. D	Length Of Cut L1	Effective Length L2	Overall Length L	Shank dia d
4ERE 050 150 650	5	6	15	50	6
4ERE 050 200 660	5	6	20	60	6
4ERE 050 250 660	5	6	25	60	6
4ERE 050 300 675	5	6	30	75	6
4ERE 050 400 675	5	6	40	75	6
4ERE 050 500 6A0	5	6	50	100	6
4ERE 060 200 660	6	10	20	60	6
4ERE 060 300 675	6	10	30	75	6
4ERE 060 400 675	6	10	40	75	6
4ERE 060 500 6A0	6	10	50	100	6
4ERE 080 200 860	8	12	20	60	8
4ERE 080 300 875	8	12	30	75	8
4ERE 080 400 8A0	8	12	40	100	8
4ERE 100 250 A75	10	15	25	75	10
4ERE 100 350 AA0	10	15	35	100	10
4ERE 100 450 AC0	10	15	45	120	10
4ERE 120 300 C75	12	18	30	75	12
4ERE 120 400 CA0	12	18	40	100	12
4ERE 120 500 CC0	12	18	50	120	12

ECO-CUT

WIDE-CUT

HARD-CUT

ALU-CUT

D-CUT

SUS CUT

MAGIC DRILLS